



ANATECH ELECTRONICS INC
RF & Microwave Filters & Products

10-100 KHz LC Band Pass Filter

Part Number: AE55KB11681



Electrical Specifications

Center Frequency: 55 KHz
1 dB Passband: 10-100 KHz
VSWR: 3:1
Rejection1: 40 dB Min. @ 4 KHz
Rejection2: 40 dB Min. @ 150 KHz
Impedance: 50 Ohms In/Out
Power Handling: +20dBm CW


Mechanical

Mounting Method: Threaded Holes
Connector Type: BNC (F)
Dimensions: 4.0 X 4.0 x 1.5 in

Environmental

Operating Temperature: -25°C to +70°C
Storage Temperature: -40°C to +90°C
Shock: 10 G. 11ms
Vibration: 10 G. 5 to 2000Hz

Outline Drawing:



Tolerance: +/-0.01 inches [+/-0.3mm]

Angles: +/-1 Deg.


*Tolerance as shown unless otherwise specified in the datasheet electrical specification tables above.

*When max dimensions are called out the above tolerances do not apply as long as it is under the max call out.

DS-B11681-08072019-Rev0



Simulation Plot 1:



Note: This is a simulation plot. Actual results may differ once the product is implemented.




ANATECH ELECTRONICS INC
RF & Microwave Filters & Products

10-100 KHz LC Band Pass Filter

Part Number: AE55KB11681



Simulation Plot 2:



Note: This is a simulation plot. Actual results may differ once the product is implemented.

DS-B11681-08072019-Rev0